

Координаты поворотных точек границ, в системе координат WGS-84

Государственный природный биологический заказник Боргойский

(наименование особо охраняемой природной территории)

№ п/п	X	Y
1	50° 44' 45.03"	105° 48' 56.62"
1	50° 44' 45.03"	105° 48' 56.62"
2	50° 44' 37.92"	105° 49' 20.27"
3	50° 44' 33.14"	105° 49' 36.80"
4	50° 44' 24.96"	105° 50' 4.50"
5	50° 44' 20.93"	105° 50' 17.21"
6	50° 44' 15.22"	105° 50' 31.42"
7	50° 44' 11.00"	105° 50' 41.08"
8	50° 44' 6.22"	105° 50' 52.48"
9	50° 43' 56.61"	105° 50' 49.68"
10	50° 43' 48.27"	105° 50' 53.92"
11	50° 43' 43.03"	105° 50' 56.63"
12	50° 43' 35.57"	105° 51' 1.02"
13	50° 43' 30.19"	105° 51' 6.22"
14	50° 43' 20.87"	105° 51' 12.54"
15	50° 43' 16.05"	105° 51' 12.23"
16	50° 43' 13.94"	105° 51' 10.48"
17	50° 43' 4.11"	105° 51' 6.72"
18	50° 42' 48.38"	105° 51' 5.75"
19	50° 42' 42.59"	105° 51' 8.38"
20	50° 42' 39.05"	105° 51' 10.97"
21	50° 42' 28.44"	105° 51' 7.60"
22	50° 42' 18.48"	105° 51' 4.79"
23	50° 42' 10.94"	105° 51' 1.92"
24	50° 42' 3.42"	105° 51' 1.65"
25	50° 41' 55.09"	105° 51' 3.05"
26	50° 41' 45.33"	105° 51' 3.38"
27	50° 41' 40.65"	105° 51' 3.90"
28	50° 41' 31.79"	105° 51' 8.68"
29	50° 41' 13.75"	105° 51' 18.48"
30	50° 40' 50.76"	105° 51' 29.40"
31	50° 40' 40.24"	105° 51' 46.48"
32	50° 40' 28.42"	105° 51' 58.16"
33	50° 40' 8.06"	105° 52' 3.94"
34	50° 39' 51.33"	105° 52' 17.70"
35	50° 39' 33.14"	105° 52' 38.22"
36	50° 39' 19.67"	105° 52' 51.35"
37	50° 39' 5.82"	105° 53' 2.74"
38	50° 38' 39.21"	105° 53' 30.49"
39	50° 38' 25.85"	105° 53' 44.33"
40	50° 38' 19.03"	105° 53' 52.21"
41	50° 38' 11.67"	105° 54' 1.92"
42	50° 37' 43.71"	105° 54' 6.59"
43	50° 37' 40.21"	105° 54' 12.38"
44	50° 37' 39.25"	105° 54' 18.12"
45	50° 37' 36.45"	105° 54' 34.70"
46	50° 37' 36.05"	105° 54' 50.32"
47	50° 37' 30.27"	105° 55' 41.23"
48	50° 37' 16.24"	105° 55' 43.75"
49	50° 37' 11.80"	105° 56' 0.13"
50	50° 36' 57.74"	105° 56' 3.39"

№ п/п	X	Y
51	50° 36' 47.12"	105° 56' 4.55"
52	50° 36' 40.10"	105° 56' 35.39"
53	50° 36' 29.21"	105° 56' 45.07"
54	50° 36' 17.22"	105° 56' 51.05"
55	50° 36' 4.29"	105° 56' 50.43"
56	50° 35' 53.65"	105° 56' 51.78"
57	50° 35' 46.31"	105° 56' 53.55"
58	50° 35' 41.51"	105° 57' 3.05"
59	50° 35' 37.65"	105° 57' 19.97"
60	50° 35' 26.45"	105° 57' 49.43"
61	50° 35' 20.14"	105° 58' 4.14"
62	50° 35' 12.73"	105° 58' 11.01"
63	50° 35' 6.96"	105° 58' 9.53"
64	50° 34' 57.64"	105° 58' 2.00"
65	50° 34' 44.71"	105° 57' 49.92"
66	50° 34' 36.31"	105° 57' 41.93"
67	50° 34' 28.61"	105° 57' 35.70"
68	50° 34' 23.31"	105° 57' 30.35"
69	50° 34' 16.71"	105° 57' 23.15"
70	50° 34' 9.76"	105° 57' 13.90"
71	50° 34' 2.79"	105° 57' 8.56"
72	50° 33' 56.80"	105° 57' 6.76"
73	50° 33' 55.93"	105° 56' 59.46"
74	50° 33' 59.05"	105° 56' 47.67"
75	50° 34' 4.68"	105° 56' 35.22"
76	50° 34' 10.69"	105° 56' 23.91"
77	50° 34' 13.06"	105° 56' 10.72"
78	50° 34' 13.02"	105° 55' 57.23"
79	50° 34' 17.01"	105° 55' 56.57"
80	50° 34' 22.71"	105° 55' 58.00"
81	50° 34' 32.71"	105° 55' 51.75"
82	50° 34' 40.61"	105° 55' 44.62"
83	50° 34' 45.56"	105° 55' 41.96"
84	50° 34' 53.28"	105° 55' 36.01"
85	50° 34' 56.58"	105° 55' 27.92"
86	50° 34' 57.24"	105° 55' 18.76"
87	50° 34' 54.94"	105° 55' 8.60"
88	50° 34' 51.92"	105° 54' 56.74"
89	50° 34' 53.20"	105° 54' 35.61"
90	50° 34' 54.57"	105° 54' 28.12"
91	50° 35' 2.74"	105° 54' 10.78"
92	50° 35' 1.77"	105° 53' 54.78"
93	50° 34' 54.72"	105° 53' 48.55"
94	50° 34' 51.45"	105° 53' 41.62"
95	50° 34' 50.67"	105° 53' 26.16"
96	50° 34' 52.05"	105° 53' 17.67"
97	50° 34' 54.35"	105° 53' 8.50"
98	50° 34' 56.65"	105° 52' 57.93"
99	50° 34' 57.19"	105° 52' 48.62"
100	50° 34' 57.14"	105° 52' 40.05"
101	50° 34' 56.93"	105° 52' 30.83"
102	50° 34' 54.45"	105° 52' 24.63"
103	50° 34' 49.00"	105° 52' 25.23"
104	50° 34' 44.79"	105° 52' 28.69"
105	50° 34' 39.04"	105° 52' 28.08"
106	50° 34' 33.51"	105° 52' 24.66"

№ п/п	X	Y
107	50° 34' 28.53"	105° 52' 18.59"
108	50° 34' 24.72"	105° 52' 9.66"
109	50° 34' 21.45"	105° 51' 57.63"
110	50° 34' 19.52"	105° 51' 47.51"
111	50° 34' 18.45"	105° 51' 30.70"
112	50° 34' 18.81"	105° 51' 14.86"
113	50° 34' 20.17"	105° 51' 1.03"
114	50° 34' 17.25"	105° 50' 53.11"
115	50° 34' 8.91"	105° 50' 45.46"
116	50° 34' 2.75"	105° 50' 35.10"
117	50° 33' 58.04"	105° 50' 18.89"
118	50° 33' 56.13"	105° 50' 5.74"
119	50° 33' 55.56"	105° 49' 54.02"
120	50° 33' 53.24"	105° 49' 43.16"
121	50° 33' 55.08"	105° 49' 35.90"
122	50° 33' 57.56"	105° 49' 26.38"
123	50° 33' 58.67"	105° 49' 20.01"
124	50° 33' 56.53"	105° 49' 12.67"
125	50° 33' 51.68"	105° 49' 9.36"
126	50° 33' 44.59"	105° 49' 12.35"
127	50° 33' 38.18"	105° 49' 23.36"
128	50° 33' 34.03"	105° 49' 29.71"
129	50° 33' 30.28"	105° 49' 33.28"
130	50° 33' 27.36"	105° 49' 32.51"
131	50° 33' 24.77"	105° 49' 26.94"
132	50° 33' 23.52"	105° 49' 19.84"
133	50° 33' 23.59"	105° 49' 10.87"
134	50° 33' 19.89"	105° 49' 0.63"
135	50° 33' 13.62"	105° 48' 56.41"
136	50° 33' 5.79"	105° 48' 58.15"
137	50° 32' 58.56"	105° 48' 59.07"
138	50° 32' 52.22"	105° 48' 59.18"
139	50° 32' 48.47"	105° 48' 59.53"
140	50° 32' 45.11"	105° 48' 58.71"
141	50° 32' 39.78"	105° 48' 55.13"
142	50° 32' 37.13"	105° 48' 51.08"
143	50° 32' 35.92"	105° 48' 45.04"
144	50° 32' 39.04"	105° 48' 34.50"
145	50° 32' 46.22"	105° 48' 30.96"
146	50° 32' 54.25"	105° 48' 24.42"
147	50° 32' 56.41"	105° 48' 16.70"
148	50° 32' 55.10"	105° 48' 7.42"
149	50° 32' 50.68"	105° 47' 59.27"
150	50° 32' 46.33"	105° 47' 52.27"
151	50° 32' 41.59"	105° 47' 46.01"
152	50° 32' 36.34"	105° 47' 43.77"
153	50° 32' 27.18"	105° 47' 49.17"
154	50° 32' 25.46"	105° 47' 56.43"
155	50° 32' 20.72"	105° 48' 0.05"
156	50° 32' 15.67"	105° 48' 1.60"
157	50° 32' 10.69"	105° 48' 0.28"
158	50° 32' 5.04"	105° 47' 55.42"
159	50° 31' 59.46"	105° 47' 47.37"
160	50° 32' 0.12"	105° 47' 40.77"
161	50° 32' 2.63"	105° 47' 32.17"
162	50° 32' 5.96"	105° 47' 23.02"

№ п/п	X	Y
163	50° 32' 8.59"	105° 47' 13.73"
164	50° 32' 10.92"	105° 47' 1.20"
165	50° 32' 10.91"	105° 46' 55.25"
166	50° 32' 7.81"	105° 46' 50.84"
167	50° 32' 2.87"	105° 46' 47.86"
168	50° 31' 58.83"	105° 46' 49.94"
169	50° 31' 53.90"	105° 46' 49.46"
170	50° 31' 47.13"	105° 46' 50.29"
171	50° 31' 41.33"	105° 46' 55.39"
172	50° 31' 34.17"	105° 46' 59.33"
173	50° 31' 25.98"	105° 47' 0.01"
174	50° 31' 20.87"	105° 47' 14.46"
175	50° 31' 16.60"	105° 47' 18.12"
176	50° 31' 11.47"	105° 47' 18.09"
177	50° 31' 5.59"	105° 47' 15.50"
178	50° 31' 0.14"	105° 47' 10.30"
179	50° 30' 54.04"	105° 47' 8.60"
180	50° 30' 43.44"	105° 47' 11.16"
181	50° 30' 39.84"	105° 47' 17.26"
182	50° 30' 36.04"	105° 47' 27.73"
183	50° 30' 32.95"	105° 47' 28.11"
184	50° 30' 28.63"	105° 47' 25.23"
185	50° 30' 23.86"	105° 47' 17.38"
186	50° 30' 20.71"	105° 47' 13.20"
187	50° 30' 19.20"	105° 47' 1.78"
188	50° 30' 19.38"	105° 46' 51.43"
189	50° 30' 23.07"	105° 46' 44.19"
190	50° 30' 29.11"	105° 46' 28.23"
191	50° 30' 33.42"	105° 46' 12.39"
192	50° 30' 35.87"	105° 46' 2.19"
193	50° 30' 40.08"	105° 45' 46.08"
194	50° 30' 44.10"	105° 45' 28.35"
195	50° 30' 48.00"	105° 45' 20.04"
196	50° 30' 58.73"	105° 45' 16.77"
197	50° 31' 3.06"	105° 45' 10.31"
198	50° 31' 8.07"	105° 44' 56.91"
199	50° 31' 9.83"	105° 44' 49.88"
200	50° 31' 15.01"	105° 45' 54.19"
201	50° 31' 29.50"	105° 45' 51.82"
202	50° 31' 34.73"	105° 45' 42.74"
203	50° 31' 42.59"	105° 45' 32.39"
204	50° 31' 41.38"	105° 45' 10.71"
205	50° 31' 51.33"	105° 45' 8.50"
206	50° 31' 50.04"	105° 44' 51.82"
207	50° 31' 44.87"	105° 44' 44.02"
208	50° 31' 18.99"	105° 44' 39.39"
209	50° 31' 7.34"	105° 44' 42.81"
210	50° 31' 1.68"	105° 44' 40.78"
211	50° 30' 57.02"	105° 44' 42.98"
212	50° 30' 53.90"	105° 44' 43.65"
213	50° 30' 50.56"	105° 44' 43.56"
214	50° 30' 47.64"	105° 44' 40.10"
215	50° 30' 47.21"	105° 44' 33.62"
216	50° 30' 49.81"	105° 44' 19.77"
217	50° 30' 49.04"	105° 44' 8.40"
218	50° 30' 44.00"	105° 43' 59.01"

№ п/п	X	Y
219	50° 30' 39.44"	105° 43' 48.14"
220	50° 30' 36.12"	105° 43' 41.78"
221	50° 30' 28.63"	105° 43' 37.74"
222	50° 30' 20.42"	105° 43' 37.97"
223	50° 30' 14.97"	105° 43' 37.02"
224	50° 30' 11.56"	105° 43' 36.46"
225	50° 30' 6.56"	105° 43' 33.97"
226	50° 30' 2.37"	105° 43' 25.75"
227	50° 30' 0.12"	105° 43' 17.05"
228	50° 29' 55.68"	105° 43' 10.37"
229	50° 29' 55.64"	105° 43' 3.87"
230	50° 29' 59.26"	105° 42' 55.78"
231	50° 30' 0.62"	105° 42' 48.92"
232	50° 29' 59.11"	105° 42' 43.20"
233	50° 29' 55.49"	105° 42' 40.62"
234	50° 29' 50.81"	105° 42' 45.28"
235	50° 29' 50.70"	105° 42' 50.52"
236	50° 29' 50.43"	105° 42' 55.97"
237	50° 29' 48.43"	105° 43' 1.08"
238	50° 29' 45.22"	105° 43' 4.75"
239	50° 29' 42.90"	105° 43' 7.24"
240	50° 29' 40.48"	105° 43' 5.50"
241	50° 29' 39.40"	105° 42' 58.98"
242	50° 29' 38.98"	105° 42' 51.23"
243	50° 29' 39.76"	105° 42' 42.30"
244	50° 29' 42.62"	105° 42' 36.28"
245	50° 29' 44.96"	105° 42' 31.85"
246	50° 29' 45.40"	105° 42' 26.93"
247	50° 29' 44.21"	105° 42' 21.84"
248	50° 29' 42.33"	105° 42' 19.80"
249	50° 29' 39.32"	105° 42' 19.15"
250	50° 29' 37.62"	105° 42' 21.68"
251	50° 29' 34.76"	105° 42' 24.34"
252	50° 29' 32.25"	105° 42' 25.17"
253	50° 29' 29.11"	105° 42' 23.47"
254	50° 29' 27.59"	105° 42' 20.54"
255	50° 29' 26.49"	105° 42' 14.65"
256	50° 29' 27.65"	105° 42' 6.44"
257	50° 29' 31.20"	105° 41' 59.01"
258	50° 29' 35.30"	105° 41' 52.01"
259	50° 29' 36.40"	105° 41' 46.18"
260	50° 29' 38.67"	105° 41' 38.86"
261	50° 29' 41.94"	105° 41' 34.53"
262	50° 29' 44.42"	105° 41' 32.99"
263	50° 29' 47.73"	105° 41' 31.78"
264	50° 29' 50.25"	105° 41' 29.95"
265	50° 29' 51.93"	105° 41' 24.61"
266	50° 29' 51.71"	105° 41' 18.22"
267	50° 29' 50.11"	105° 41' 13.04"
268	50° 29' 48.07"	105° 41' 10.30"
269	50° 29' 46.30"	105° 41' 7.10"
270	50° 29' 44.31"	105° 41' 2.59"
271	50° 29' 44.74"	105° 40' 56.46"
272	50° 29' 44.43"	105° 40' 51.04"
273	50° 29' 41.91"	105° 40' 47.52"
274	50° 29' 39.56"	105° 40' 45.31"

№ п/п	X	Y
275	50° 29' 38.40"	105° 40' 41.77"
276	50° 29' 38.30"	105° 40' 38.02"
277	50° 29' 40.14"	105° 40' 35.30"
278	50° 29' 43.32"	105° 40' 33.08"
279	50° 29' 47.82"	105° 40' 36.66"
280	50° 29' 52.04"	105° 40' 40.00"
281	50° 29' 55.89"	105° 40' 37.93"
282	50° 29' 58.04"	105° 40' 36.53"
283	50° 29' 59.36"	105° 40' 36.93"
284	50° 30' 2.29"	105° 40' 42.93"
285	50° 30' 4.96"	105° 40' 43.41"
286	50° 30' 6.86"	105° 40' 40.93"
287	50° 30' 6.46"	105° 40' 37.12"
288	50° 30' 6.42"	105° 40' 32.77"
289	50° 30' 8.17"	105° 40' 30.32"
290	50° 30' 11.04"	105° 40' 30.86"
291	50° 30' 14.22"	105° 40' 34.44"
292	50° 30' 16.28"	105° 40' 32.88"
293	50° 30' 16.19"	105° 40' 25.11"
294	50° 30' 15.61"	105° 40' 19.98"
295	50° 30' 16.51"	105° 40' 14.50"
296	50° 30' 18.41"	105° 40' 10.63"
297	50° 30' 20.96"	105° 40' 6.06"
298	50° 30' 24.66"	105° 40' 0.94"
299	50° 30' 29.30"	105° 39' 58.19"
300	50° 30' 33.93"	105° 39' 58.70"
301	50° 30' 38.26"	105° 39' 56.36"
302	50° 30' 41.71"	105° 39' 52.74"
303	50° 30' 44.23"	105° 39' 47.02"
304	50° 30' 44.34"	105° 39' 40.77"
305	50° 30' 42.10"	105° 39' 38.36"
306	50° 30' 39.23"	105° 39' 34.64"
307	50° 30' 37.16"	105° 39' 27.69"
308	50° 30' 37.76"	105° 39' 21.47"
309	50° 30' 39.57"	105° 39' 16.25"
310	50° 30' 47.53"	105° 39' 1.88"
311	50° 30' 51.06"	105° 38' 55.93"
312	50° 30' 54.00"	105° 38' 44.60"
313	50° 30' 55.28"	105° 38' 33.29"
314	50° 30' 54.09"	105° 38' 27.88"
315	50° 30' 51.84"	105° 38' 24.18"
316	50° 30' 49.00"	105° 38' 19.44"
317	50° 30' 47.18"	105° 38' 13.75"
318	50° 30' 46.74"	105° 38' 2.54"
319	50° 30' 47.58"	105° 37' 55.09"
320	50° 30' 50.36"	105° 37' 49.10"
321	50° 30' 54.94"	105° 37' 44.70"
322	50° 30' 55.79"	105° 37' 40.65"
323	50° 30' 54.81"	105° 37' 35.63"
324	50° 30' 52.73"	105° 37' 33.57"
325	50° 30' 51.30"	105° 37' 30.15"
326	50° 30' 49.73"	105° 37' 24.33"
327	50° 30' 48.32"	105° 37' 22.00"
328	50° 30' 45.45"	105° 37' 21.90"
329	50° 30' 42.35"	105° 37' 21.55"
330	50° 30' 40.17"	105° 37' 21.03"

№ п/п	X	Y
331	50° 30' 37.09"	105° 37' 19.28"
332	50° 30' 35.35"	105° 37' 15.45"
333	50° 30' 34.02"	105° 37' 8.92"
334	50° 30' 34.58"	105° 37' 2.47"
335	50° 30' 37.83"	105° 36' 57.28"
336	50° 30' 42.45"	105° 36' 55.92"
337	50° 30' 47.47"	105° 36' 58.90"
338	50° 30' 51.08"	105° 36' 57.04"
339	50° 30' 53.18"	105° 36' 53.42"
340	50° 30' 54.98"	105° 36' 47.52"
341	50° 30' 56.21"	105° 36' 41.76"
342	50° 30' 57.38"	105° 36' 36.70"
343	50° 30' 57.10"	105° 36' 31.40"
344	50° 30' 55.54"	105° 36' 28.19"
345	50° 30' 52.50"	105° 36' 26.68"
346	50° 30' 49.87"	105° 36' 26.55"
347	50° 30' 46.84"	105° 36' 26.63"
348	50° 30' 43.84"	105° 36' 25.91"
349	50° 30' 42.14"	105° 36' 22.96"
350	50° 30' 41.41"	105° 36' 16.11"
351	50° 30' 43.48"	105° 36' 9.48"
352	50° 30' 48.24"	105° 36' 0.94"
353	50° 30' 49.23"	105° 35' 55.91"
354	50° 30' 52.31"	105° 35' 50.25"
355	50° 30' 54.20"	105° 35' 48.69"
356	50° 30' 56.07"	105° 35' 49.93"
357	50° 30' 56.44"	105° 35' 55.62"
358	50° 30' 57.43"	105° 36' 0.41"
359	50° 30' 58.69"	105° 36' 5.33"
360	50° 31' 1.48"	105° 36' 6.38"
361	50° 31' 6.34"	105° 36' 2.42"
362	50° 31' 9.40"	105° 35' 51.89"
363	50° 31' 11.27"	105° 35' 41.73"
364	50° 31' 13.95"	105° 35' 32.99"
365	50° 31' 17.58"	105° 35' 28.97"
366	50° 31' 18.93"	105° 35' 23.81"
367	50° 31' 18.93"	105° 35' 16.53"
368	50° 31' 20.36"	105° 35' 7.38"
369	50° 31' 21.76"	105° 35' 3.93"
370	50° 31' 24.52"	105° 35' 1.22"
371	50° 31' 25.29"	105° 34' 55.78"
372	50° 31' 23.55"	105° 34' 51.55"
373	50° 31' 26.44"	105° 34' 45.52"
374	50° 31' 27.58"	105° 34' 38.68"
375	50° 31' 25.55"	105° 34' 33.61"
376	50° 31' 24.84"	105° 34' 27.74"
377	50° 31' 25.23"	105° 34' 24.92"
378	50° 31' 28.70"	105° 34' 25.65"
379	50° 31' 33.68"	105° 34' 28.07"
380	50° 31' 40.35"	105° 34' 30.59"
381	50° 31' 43.13"	105° 34' 13.52"
382	50° 31' 44.46"	105° 34' 3.71"
383	50° 31' 49.83"	105° 34' 1.75"
384	50° 31' 54.10"	105° 33' 44.13"
385	50° 31' 59.50"	105° 33' 44.25"
386	50° 32' 4.25"	105° 33' 43.67"

№ п/п	X	Y
387	50° 32' 15.09"	105° 33' 41.83"
388	50° 32' 28.33"	105° 33' 40.90"
389	50° 32' 43.06"	105° 33' 39.91"
390	50° 32' 58.33"	105° 33' 40.32"
391	50° 33' 7.50"	105° 33' 40.94"
392	50° 33' 27.96"	105° 33' 43.89"
393	50° 33' 48.18"	105° 33' 47.72"
394	50° 33' 57.67"	105° 33' 46.77"
395	50° 34' 7.11"	105° 33' 46.57"
396	50° 34' 20.28"	105° 33' 44.64"
397	50° 34' 36.24"	105° 33' 39.17"
398	50° 34' 45.06"	105° 33' 32.48"
399	50° 34' 48.83"	105° 33' 27.51"
400	50° 34' 59.68"	105° 33' 22.28"
401	50° 35' 3.24"	105° 33' 22.10"
402	50° 35' 11.57"	105° 33' 13.91"
403	50° 35' 17.65"	105° 33' 15.74"
404	50° 35' 25.12"	105° 33' 27.19"
405	50° 35' 31.30"	105° 33' 36.89"
406	50° 35' 42.30"	105° 33' 58.23"
407	50° 36' 18.17"	105° 33' 59.81"
408	50° 36' 43.86"	105° 34' 3.63"
409	50° 37' 16.85"	105° 34' 9.56"
410	50° 37' 50.33"	105° 34' 19.10"
411	50° 38' 45.17"	105° 34' 19.58"
412	50° 38' 45.62"	105° 34' 23.02"
413	50° 38' 46.34"	105° 34' 29.34"
414	50° 38' 48.12"	105° 34' 45.51"
415	50° 38' 49.67"	105° 35' 0.06"
416	50° 38' 51.60"	105° 35' 16.09"
417	50° 38' 53.81"	105° 35' 34.68"
418	50° 38' 55.92"	105° 35' 54.00"
419	50° 38' 57.79"	105° 36' 10.02"
420	50° 38' 59.60"	105° 36' 27.61"
421	50° 39' 0.85"	105° 36' 38.77"
422	50° 39' 2.51"	105° 36' 52.94"
423	50° 39' 4.00"	105° 37' 7.26"
424	50° 39' 4.94"	105° 37' 15.78"
425	50° 39' 6.53"	105° 37' 30.86"
426	50° 39' 8.19"	105° 37' 45.23"
427	50° 39' 10.04"	105° 38' 1.52"
428	50° 39' 11.13"	105° 38' 11.66"
429	50° 39' 11.85"	105° 38' 19.04"
430	50° 39' 11.04"	105° 38' 29.93"
431	50° 39' 11.06"	105° 38' 36.40"
432	50° 39' 13.04"	105° 38' 44.46"
433	50° 39' 18.87"	105° 39' 0.89"
434	50° 39' 23.73"	105° 39' 10.19"
435	50° 39' 24.39"	105° 39' 14.22"
436	50° 39' 29.07"	105° 39' 18.13"
437	50° 39' 27.81"	105° 39' 34.31"
438	50° 39' 30.70"	105° 39' 48.88"
439	50° 39' 34.66"	105° 40' 6.50"
440	50° 39' 38.78"	105° 40' 24.08"
441	50° 39' 48.50"	105° 41' 6.42"
442	50° 39' 53.57"	105° 41' 26.51"

№ п/п	X	Y
443	50° 39' 57.25"	105° 41' 37.19"
444	50° 40' 5.43"	105° 41' 54.74"
445	50° 40' 11.48"	105° 42' 6.79"
446	50° 40' 17.65"	105° 42' 19.70"
447	50° 40' 21.07"	105° 42' 26.76"
448	50° 40' 29.28"	105° 42' 34.37"
449	50° 40' 41.33"	105° 42' 44.58"
450	50° 40' 57.43"	105° 43' 9.56"
451	50° 41' 2.48"	105° 43' 16.76"
452	50° 41' 14.04"	105° 43' 36.24"
453	50° 41' 24.83"	105° 44' 6.90"
454	50° 41' 31.88"	105° 44' 27.27"
455	50° 41' 41.13"	105° 44' 54.15"
456	50° 41' 43.57"	105° 44' 59.30"
457	50° 41' 50.84"	105° 45' 9.75"
458	50° 41' 59.72"	105° 45' 22.72"
459	50° 42' 10.74"	105° 45' 38.74"
460	50° 42' 22.41"	105° 45' 56.43"
461	50° 42' 34.84"	105° 46' 14.15"
462	50° 42' 45.59"	105° 46' 29.68"
463	50° 42' 48.86"	105° 46' 32.13"
464	50° 43' 6.65"	105° 46' 43.74"
465	50° 43' 22.27"	105° 46' 54.61"
466	50° 43' 32.31"	105° 47' 1.38"
467	50° 43' 43.64"	105° 47' 8.36"
468	50° 43' 46.04"	105° 47' 12.08"
469	50° 43' 48.66"	105° 47' 18.42"
470	50° 43' 52.59"	105° 47' 29.27"
471	50° 43' 58.82"	105° 47' 46.67"
472	50° 44' 0.65"	105° 47' 50.50"
473	50° 44' 5.99"	105° 47' 58.49"
474	50° 44' 10.00"	105° 48' 4.36"
475	50° 44' 15.89"	105° 48' 9.80"
476	50° 44' 20.16"	105° 48' 13.84"
477	50° 44' 23.23"	105° 48' 16.57"
478	50° 44' 24.53"	105° 48' 19.67"
479	50° 44' 25.98"	105° 48' 25.52"
480	50° 44' 33.01"	105° 48' 41.66"
481	50° 44' 34.37"	105° 48' 43.93"
482	50° 39' 10.73"	105° 41' 26.44"
482	50° 39' 10.73"	105° 41' 26.44"
483	50° 39' 12.62"	105° 41' 34.48"
484	50° 39' 17.28"	105° 41' 52.20"
485	50° 39' 15.43"	105° 42' 14.51"
486	50° 39' 14.45"	105° 42' 53.81"
487	50° 39' 17.68"	105° 43' 4.15"
488	50° 39' 17.71"	105° 43' 15.82"
489	50° 39' 15.30"	105° 43' 17.17"
490	50° 39' 13.18"	105° 43' 16.27"
491	50° 38' 51.70"	105° 43' 18.38"
492	50° 38' 35.24"	105° 43' 18.22"
493	50° 38' 35.45"	105° 42' 40.28"
494	50° 38' 48.90"	105° 42' 39.62"
495	50° 38' 46.86"	105° 42' 23.49"
496	50° 38' 45.59"	105° 42' 7.62"
497	50° 38' 45.59"	105° 42' 1.52"

№ п/п	X	Y
498	50° 38' 56.48"	105° 41' 26.47"