

Координаты поворотных точек границ, в системе координат WGS-84

Государственный природный биологический заказник Верхне-Ангарский
(наименование особо охраняемой природной территории)

№ п/п	X	Y
1	55° 49' 16.58"	110° 0' 41.46"
2	55° 48' 16.98"	110° 0' 38.28"
3	55° 48' 16.75"	109° 59' 37.20"
4	55° 47' 7.98"	109° 59' 40.53"
5	55° 46' 9.25"	109° 59' 41.58"
6	55° 46' 8.45"	109° 59' 41.14"
7	55° 46' 7.39"	109° 59' 41.13"
8	55° 46' 6.88"	109° 59' 41.52"
9	55° 46' 6.28"	109° 59' 42.10"
10	55° 46' 5.18"	109° 59' 41.91"
11	55° 46' 4.76"	109° 59' 41.33"
12	55° 46' 4.43"	109° 59' 39.83"
13	55° 46' 4.33"	109° 59' 36.19"
14	55° 46' 4.65"	109° 59' 32.77"
15	55° 46' 5.12"	109° 59' 30.14"
16	55° 46' 5.71"	109° 59' 28.89"
17	55° 46' 6.60"	109° 59' 28.54"
18	55° 46' 8.00"	109° 59' 28.35"
19	55° 46' 9.16"	109° 59' 28.23"
20	55° 46' 10.21"	109° 59' 27.87"
21	55° 46' 10.68"	109° 59' 26.75"
22	55° 46' 10.76"	109° 59' 25.65"
23	55° 46' 10.65"	109° 59' 24.93"
24	55° 46' 10.05"	109° 59' 23.81"
25	55° 46' 9.11"	109° 59' 23.07"
26	55° 46' 7.46"	109° 59' 22.61"
27	55° 46' 4.99"	109° 59' 22.31"
28	55° 46' 4.33"	109° 59' 21.74"
29	55° 46' 3.89"	109° 59' 20.18"
30	55° 46' 4.05"	109° 59' 19.20"
31	55° 46' 4.20"	109° 59' 18.23"
32	55° 46' 5.07"	109° 59' 17.15"
33	55° 46' 5.81"	109° 59' 15.89"
34	55° 46' 6.20"	109° 59' 14.78"
35	55° 46' 6.14"	109° 59' 13.26"
36	55° 46' 5.73"	109° 59' 11.22"
37	55° 46' 5.17"	109° 59' 10.46"
38	55° 46' 4.54"	109° 59' 9.77"
39	55° 46' 4.31"	109° 59' 8.32"
40	55° 46' 4.44"	109° 59' 7.59"
41	55° 46' 4.83"	109° 59' 6.78"
42	55° 46' 5.33"	109° 59' 5.84"
43	55° 46' 5.66"	109° 59' 4.79"
44	55° 46' 5.64"	109° 59' 3.88"
45	55° 46' 5.38"	109° 59' 2.44"
46	55° 46' 4.95"	109° 59' 1.43"
47	55° 46' 4.72"	109° 59' 0.16"
48	55° 46' 4.88"	109° 58' 59.43"
49	55° 46' 5.42"	109° 58' 59.10"
50	55° 46' 5.97"	109° 58' 59.25"
51	55° 46' 6.83"	109° 58' 59.20"
52	55° 46' 8.25"	109° 58' 59.92"

№ п/п	X	Y
53	55° 46' 9.35"	109° 59' 0.35"
54	55° 46' 10.14"	109° 59' 0.43"
55	55° 46' 10.78"	109° 59' 0.09"
56	55° 46' 11.24"	109° 58' 59.21"
57	55° 46' 11.36"	109° 58' 58.18"
58	55° 46' 11.35"	109° 58' 57.14"
59	55° 46' 11.12"	109° 58' 56.00"
60	55° 46' 10.77"	109° 58' 55.48"
61	55° 46' 9.93"	109° 58' 54.55"
62	55° 46' 9.32"	109° 58' 52.76"
63	55° 46' 9.43"	109° 58' 51.24"
64	55° 46' 9.88"	109° 58' 51.21"
65	55° 46' 10.37"	109° 58' 51.55"
66	55° 46' 10.88"	109° 58' 51.95"
67	55° 46' 11.34"	109° 58' 52.77"
68	55° 46' 11.97"	109° 58' 53.65"
69	55° 46' 12.59"	109° 58' 53.98"
70	55° 46' 13.28"	109° 58' 54.01"
71	55° 46' 13.58"	109° 58' 53.57"
72	55° 46' 14.04"	109° 58' 52.51"
73	55° 46' 14.09"	109° 58' 51.29"
74	55° 46' 14.37"	109° 58' 49.52"
75	55° 46' 14.87"	109° 58' 48.70"
76	55° 46' 15.26"	109° 58' 48.14"
77	55° 46' 14.39"	109° 58' 46.34"
78	55° 46' 11.01"	109° 58' 39.31"
79	55° 45' 54.58"	109° 58' 41.99"
80	55° 44' 53.74"	109° 58' 46.78"
81	55° 44' 0.37"	109° 58' 52.18"
82	55° 42' 54.95"	109° 59' 1.16"
83	55° 42' 53.36"	109° 58' 4.89"
84	55° 41' 47.78"	109° 58' 11.69"
85	55° 40' 42.71"	109° 58' 17.60"
86	55° 39' 37.87"	109° 58' 23.60"
87	55° 39' 37.85"	109° 58' 23.58"
88	55° 39' 37.85"	109° 58' 23.57"
89	55° 39' 13.47"	109° 57' 51.39"
90	55° 38' 55.25"	109° 56' 57.81"
91	55° 38' 53.72"	109° 56' 1.65"
92	55° 38' 57.52"	109° 56' 18.15"
93	55° 38' 58.39"	109° 56' 27.18"
94	55° 38' 59.11"	109° 56' 33.53"
95	55° 38' 59.82"	109° 56' 38.38"
96	55° 39' 0.20"	109° 56' 41.48"
97	55° 39' 2.42"	109° 56' 47.04"
98	55° 39' 4.48"	109° 56' 56.28"
99	55° 39' 7.56"	109° 57' 2.81"
100	55° 39' 10.57"	109° 57' 8.95"
101	55° 39' 14.86"	109° 57' 16.76"
102	55° 39' 17.89"	109° 57' 21.68"
103	55° 39' 19.22"	109° 57' 22.83"
104	55° 39' 20.12"	109° 57' 24.44"
105	55° 39' 21.11"	109° 57' 25.42"
106	55° 39' 22.61"	109° 57' 26.93"
107	55° 39' 24.05"	109° 57' 29.69"
108	55° 39' 24.87"	109° 57' 31.73"

№ п/п	X	Y
109	55° 39' 24.99"	109° 57' 33.40"
110	55° 39' 26.33"	109° 57' 35.50"
111	55° 39' 28.12"	109° 57' 37.88"
112	55° 39' 30.72"	109° 57' 40.77"
113	55° 39' 33.24"	109° 57' 43.15"
114	55° 39' 37.17"	109° 57' 46.05"
115	55° 39' 43.43"	109° 57' 43.28"
116	55° 39' 49.74"	109° 57' 39.42"
117	55° 40' 2.55"	109° 57' 31.82"
118	55° 40' 18.99"	109° 57' 22.48"
119	55° 40' 36.15"	109° 57' 9.66"
120	55° 40' 54.53"	109° 56' 48.56"
121	55° 41' 8.04"	109° 56' 25.48"
122	55° 41' 21.32"	109° 55' 54.98"
123	55° 41' 34.47"	109° 55' 23.71"
124	55° 41' 41.91"	109° 54' 52.97"
125	55° 41' 50.56"	109° 54' 18.17"
126	55° 42' 2.53"	109° 53' 30.96"
127	55° 42' 10.38"	109° 53' 1.78"
128	55° 42' 18.04"	109° 52' 40.58"
129	55° 42' 24.39"	109° 52' 32.79"
130	55° 42' 28.32"	109° 52' 25.48"
131	55° 42' 30.56"	109° 52' 19.26"
132	55° 42' 31.92"	109° 52' 15.02"
133	55° 42' 35.49"	109° 52' 4.20"
134	55° 42' 43.17"	109° 51' 46.88"
135	55° 42' 54.22"	109° 51' 24.38"
136	55° 43' 1.89"	109° 51' 5.72"
137	55° 43' 7.81"	109° 50' 49.77"
138	55° 43' 14.40"	109° 50' 32.23"
139	55° 43' 21.01"	109° 50' 14.56"
140	55° 43' 28.48"	109° 49' 54.30"
141	55° 43' 37.45"	109° 49' 30.76"
142	55° 43' 43.85"	109° 49' 14.88"
143	55° 43' 46.36"	109° 49' 12.62"
144	55° 43' 48.42"	109° 49' 13.29"
145	55° 43' 49.61"	109° 49' 15.68"
146	55° 43' 50.92"	109° 49' 16.97"
147	55° 43' 52.98"	109° 49' 17.03"
148	55° 43' 57.23"	109° 49' 6.55"
149	55° 44' 9.65"	109° 48' 30.31"
150	55° 44' 20.03"	109° 48' 41.72"
151	55° 44' 27.08"	109° 48' 27.05"
152	55° 44' 52.08"	109° 48' 35.27"
153	55° 45' 16.80"	109° 48' 43.01"
154	55° 45' 21.39"	109° 48' 41.69"
155	55° 45' 24.47"	109° 48' 39.13"
156	55° 45' 27.57"	109° 48' 37.90"
157	55° 45' 31.06"	109° 48' 38.63"
158	55° 45' 33.32"	109° 48' 40.41"
159	55° 45' 35.81"	109° 48' 46.40"
160	55° 45' 39.42"	109° 48' 46.99"
161	55° 45' 46.78"	109° 48' 41.03"
162	55° 45' 52.09"	109° 48' 42.75"
163	55° 45' 55.25"	109° 48' 43.26"
164	55° 45' 59.80"	109° 48' 36.74"

№ п/п	X	Y
165	55° 46' 8.69"	109° 48' 36.46"
166	55° 46' 14.36"	109° 48' 38.00"
167	55° 46' 19.76"	109° 48' 44.66"
168	55° 46' 25.50"	109° 48' 50.19"
169	55° 46' 30.22"	109° 48' 52.30"
170	55° 46' 36.86"	109° 48' 50.56"
171	55° 46' 42.40"	109° 48' 53.05"
172	55° 46' 49.99"	109° 49' 0.00"
173	55° 46' 57.30"	109° 49' 4.01"
174	55° 46' 59.56"	109° 49' 4.73"
175	55° 47' 1.31"	109° 49' 4.74"
176	55° 47' 3.14"	109° 49' 1.64"
177	55° 47' 4.65"	109° 48' 52.47"
178	55° 47' 6.91"	109° 48' 53.19"
179	55° 47' 10.26"	109° 49' 3.82"
180	55° 47' 12.98"	109° 49' 8.59"
181	55° 47' 13.33"	109° 49' 13.36"
182	55° 47' 11.99"	109° 49' 18.31"
183	55° 47' 11.99"	109° 49' 22.39"
184	55° 47' 13.51"	109° 49' 26.05"
185	55° 47' 14.59"	109° 49' 28.53"
186	55° 47' 14.27"	109° 49' 31.80"
187	55° 47' 8.97"	109° 49' 38.49"
188	55° 47' 5.86"	109° 49' 43.46"
189	55° 47' 5.24"	109° 49' 50.66"
190	55° 47' 5.77"	109° 49' 55.00"
191	55° 47' 7.20"	109° 49' 56.22"
192	55° 47' 9.72"	109° 49' 52.91"
193	55° 47' 12.79"	109° 49' 49.11"
194	55° 47' 13.87"	109° 49' 50.30"
195	55° 47' 12.11"	109° 49' 59.27"
196	55° 47' 12.36"	109° 50' 5.02"
197	55° 47' 15.23"	109° 50' 8.11"
198	55° 47' 22.14"	109° 50' 15.09"
199	55° 47' 23.70"	109° 50' 15.50"
200	55° 47' 26.44"	109° 50' 7.19"
201	55° 47' 28.86"	109° 50' 4.43"
202	55° 47' 30.11"	109° 50' 7.15"
203	55° 47' 30.44"	109° 50' 15.67"
204	55° 47' 36.15"	109° 50' 26.98"
205	55° 47' 37.10"	109° 50' 30.26"
206	55° 47' 36.83"	109° 50' 33.95"
207	55° 47' 35.42"	109° 50' 39.98"
208	55° 47' 36.15"	109° 50' 50.54"
209	55° 47' 36.91"	109° 51' 4.25"
210	55° 47' 35.85"	109° 51' 21.84"
211	55° 47' 32.40"	109° 51' 40.22"
212	55° 47' 30.98"	109° 51' 53.25"
213	55° 47' 29.01"	109° 52' 2.66"
214	55° 47' 28.82"	109° 52' 14.77"
215	55° 47' 22.89"	109° 52' 26.27"
216	55° 47' 19.58"	109° 52' 36.87"
217	55° 47' 19.15"	109° 52' 46.77"
218	55° 47' 23.91"	109° 53' 2.72"
219	55° 47' 28.35"	109° 53' 9.44"
220	55° 47' 33.32"	109° 53' 11.96"

№ п/п	X	Y
221	55° 47' 47.70"	109° 53' 13.46"
222	55° 47' 51.26"	109° 53' 18.91"
223	55° 47' 54.55"	109° 53' 31.06"
224	55° 47' 54.41"	109° 53' 39.61"
225	55° 47' 53.43"	109° 53' 48.76"
226	55° 47' 44.34"	109° 53' 59.10"
227	55° 47' 38.99"	109° 54' 2.68"
228	55° 47' 36.93"	109° 54' 8.08"
229	55° 47' 34.02"	109° 54' 25.08"
230	55° 47' 34.49"	109° 54' 31.69"
231	55° 47' 43.39"	109° 54' 48.91"
232	55° 47' 50.02"	109° 54' 56.03"
233	55° 47' 51.16"	109° 54' 59.16"
234	55° 47' 53.61"	109° 55' 22.74"
235	55° 47' 56.45"	109° 55' 26.77"
236	55° 47' 58.84"	109° 55' 29.00"
237	55° 48' 1.69"	109° 55' 28.53"
238	55° 48' 7.91"	109° 55' 21.03"
239	55° 48' 13.31"	109° 55' 11.68"
240	55° 48' 16.75"	109° 55' 3.91"
241	55° 48' 20.32"	109° 55' 2.56"
242	55° 48' 24.14"	109° 55' 5.29"
243	55° 48' 26.16"	109° 55' 11.67"
244	55° 48' 25.34"	109° 55' 20.29"
245	55° 48' 22.26"	109° 55' 31.23"
246	55° 48' 20.26"	109° 55' 46.93"
247	55° 48' 16.66"	109° 56' 7.16"
248	55° 48' 19.44"	109° 56' 8.77"
249	55° 48' 25.78"	109° 56' 9.97"
250	55° 48' 30.77"	109° 56' 13.22"
251	55° 48' 34.13"	109° 56' 17.93"
252	55° 48' 38.07"	109° 56' 37.89"
253	55° 48' 44.10"	109° 57' 3.16"
254	55° 48' 47.26"	109° 57' 8.96"
255	55° 48' 51.98"	109° 57' 10.97"
256	55° 48' 57.35"	109° 57' 10.74"
257	55° 49' 0.85"	109° 57' 7.98"
258	55° 49' 4.94"	109° 57' 14.11"
259	55° 49' 5.97"	109° 57' 19.90"
260	55° 49' 4.09"	109° 57' 24.88"
261	55° 48' 56.68"	109° 57' 35.83"
262	55° 48' 54.95"	109° 57' 41.95"
263	55° 48' 56.13"	109° 57' 50.72"
264	55° 48' 59.42"	109° 58' 1.28"
265	55° 49' 8.14"	109° 58' 15.26"
266	55° 49' 12.64"	109° 58' 16.05"
267	55° 49' 16.37"	109° 58' 17.81"
268	55° 49' 19.10"	109° 58' 21.31"
269	55° 49' 24.83"	109° 58' 24.49"
270	55° 49' 27.68"	109° 58' 31.62"
271	55° 49' 29.14"	109° 58' 50.29"
272	55° 49' 23.57"	109° 59' 5.44"
273	55° 49' 20.88"	109° 59' 14.40"
274	55° 49' 20.11"	109° 59' 31.21"
275	55° 49' 16.43"	110° 0' 12.66"
276	55° 49' 16.53"	110° 0' 32.72"